

Annual Drinking Water Quality Report for 2019
Chestertown Water District
Chester Town Hall, 6307 State Route 9, Chestertown, NY 12817
Public Water Supply Identification Number NY5600102

INTRODUCTION

To comply with State regulations, the Chestertown Water District, will be annually issuing a report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. Included are details about where your water comes from, what it contains, and how it compares to New York State standards. Our constant goal is and always has been, to provide to you a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and to protect our water resources. If you have any questions concerning this report or concerning your drinking water please contact: *Mr. Jason Monroe, Water Operator, PO Box 423, Chestertown, NY 12817; Telephone (518) 494-5434.* We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the 2nd Tuesday of each month, 7:30 PM at the Town Hall, 6307 State Route 9; Telephone (518) 494-2711.

WHERE DOES OUR WATER COME FROM?

The Chestertown Water District draws its water from ground water sources. Groundwater or well water is stored below the surface of the earth in deep, porous rocks called "aquifers." Groundwater is purified naturally as it filters through layers of soil, clay, rock and sand. This process, known as percolation takes years to complete. As a result, groundwater requires less treatment than surface water. We pump this groundwater out through our wells. The Chestertown Water District draws its main source of water from two drilled wells at Dynamite Hill. The wells range in depth between 30 feet to 60 feet and yield approximately 100 gallons per minute. The discharge from each well is teed together at the pumphouse where chlorine is added, providing disinfection to protect against contamination from harmful bacteria and other organisms. We use soda ash for pH control and an orthophosphate corrosion inhibitor (Aqua Pure 125) that serves to reduce lead and copper from leaching into the water from residential water pipes and to help minimize corrosion in the water mains. After treatment, the water is pumped through six-inch cast iron pipe ¾ of a mile before our first customer service. We have a 250,000-gallon storage tank, which provides effective distribution system management, and fire protection

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants. In order to ensure that tap water is safe to drink, the State and EPA prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

FACTS AND FIGURES

The Water District provides water through 298 service connections to a population of approximately 750 people. Our average daily demand is 104,000 gallons. Our single highest day was 386,000 gallons. The total water produced in 2019 was 37,663,000 gallons. The base rate for 30,000 gallons is \$175.00 while the rate per 1,000 gallons over 30,000 gallons is \$4.00.

WHAT IS THE SOURCE WATER ASSESSMENT PROGRAM (SWAP)?

The NYS DOH has completed a source water assessment for this system, based on available information. Possible and actual threats to this drinking water source were evaluated. The state source water assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how easily contaminants can move through the subsurface to the wells. The susceptibility rating is an estimate of the potential for contamination of the source water, it does not mean that the water delivered to consumers is, or will become contaminated. See section "Are there contaminants in our drinking water?" for a list of the contaminants that have been detected, if any. The source water assessments provide resource managers with additional information for protecting source waters into the future.

The source water assessment has rated our water source as having an elevated susceptibility to microbials, nitrates, industrial solvents and other industrial contaminants. These ratings are due primarily to the close proximity of the wells to a septic system, and the residential land use and related activities in the assessment area. In addition, the wells pump 100 gallons per minute from an unconfined aquifer; thus, the overlying soils may not provide adequate protection

from potential contamination. While the source water assessment rates our wells as being susceptible to microbials, please note that our water is disinfected to ensure that the finished water delivered into your home meets New York State's drinking water standards for microbial contamination.

The State Health Departments will use this information to direct future source water protection activities. These may include water quality monitoring, resource management, planning and education programs. A copy of the assessment can be obtained by contacting us, as noted below.

ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

In accordance with State regulations, the Chestertown Water District routinely monitors your drinking water for numerous contaminants. We test your drinking water for inorganic contaminants, radiological contaminants, lead and copper, nitrate, volatile organic contaminants, and synthetic organic contaminants. In addition, we test 1 sample for coliform bacteria each month. The table presented below depicts which contaminants were detected in your drinking water. The state allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, is more than one year old and is noted.

It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily pose a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791) or the New York State Department of Health Glens Falls District Office at (518) 793-3893.

WHAT DOES THIS INFORMATION MEAN?

As you can see by the table on page 4, our system had no violations. We have learned through our monitoring and testing that some constituents have been detected; however, these compounds were detected below New York State requirements. MCL's are set at very stringent levels. To understand the possible health effects described for many regulated constituents, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

IS OUR WATER SYSTEM MEETING OTHER RULES THAT GOVERN OPERATIONS?

During 2019, our system was in compliance with applicable State drinking water operating and reporting requirements, except that we failed to sample in accordance with our approved lead and copper monitoring plan, and therefore received a notice of violation for testing an insufficient number of sites during the January-June. A total of twenty samples were required for each monitoring period and we sampled only 18 approved sites in June.

DO I NEED TO TAKE SPECIAL PRECAUTIONS?

Some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium*, *Giardia* and other microbiological pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

INFORMATION ON LEAD

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Chestertown WD is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested.

Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>

WATER CONSERVATION TIPS

The Chestertown Water District encourages water conservation. There are a lot of things you can do to conserve water in your own home. Conservation tips include:

- ◆ Only run the dishwasher and clothes washer when there is a full load
- ◆ Use water saving showerheads
- ◆ Install faucet aerators in the kitchen and the bathroom to reduce the flow from 4 to 2.5 gallons per minute
- ◆ Water gardens and lawn for only a couple of hours after sunset

- ◆ Check faucets, pipes and toilets for leaks and repair all leaks promptly
- ◆ Take shorter showers

CLOSING

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit our customers. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future. Please call our office if you have questions.

CHESTERTOWN WATER DISTRICT TEST RESULTS
Public Water Supply Identification Number NY 5600102

Contaminant	Violation Y/N	Level Detected	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic Contaminants (samples from 7/9/18) unless otherwise noted						
Chloride	N	151	ppm	N/A	250	Naturally occurring
Chromium (sample from 3/28/17)	N	1.5	ppb	100	100	Erosion of natural deposits
Color	N	10	unit	N/A	15	Presence of metals such as copper, iron and manganese
Copper (samples from 6/18/19-6/19/19) Range of copper concentration	N	0.44 ¹ 0.02- 1.17	ppm	1.3	AL=1.3	Corrosion of household plumbing systems
Copper (samples from 12/3/19-12/4/19)	N	0.53 ¹ 0.06- 0.70				
Lead (samples from 6/18/19-6/19/19) Range of lead concentrations	N	7 ² ND-13	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Lead (samples from 12/3/19-12/4/19)		2 ² ND-17				
Sodium ⁴	N	91.8	ppm	N/A	N/A	Naturally occurring; Road salt; Water softeners
Sulfate	N	8.74	ppm	N/A	250	Naturally occurring
Nitrate (as Nitrogen)	N	0.652	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Disinfection Byproducts (samples from 7/17/19)						
Total Trihalomethanes [TTHM]	N	14.7	ppb	0	80	By-product of drinking water chlorination
Chlorine (average) based on daily testing 2019 range of values	N	0.5 0.3-0.9	ppm	MRDL G N/A	MRDL 4	Used in the treatment and disinfection of drinking water

NOTES-

- The level presented represents the 90th percentile of 20 approved sites tested between January-June 2019 and 20 approved sites between July-December. The action level for copper was not exceeded at any of the approved sites tested.
- The level presented represents the 90th percentile of the approved sites tested. The action level for lead was exceeded at 1 of the samples collected between July-December.
- December.
- Water containing more than 20 mg/l should not be consumed by persons on severely restricted sodium diets. Water containing more than 270 mg/l of sodium should not be used for drinking by people on moderately restricted sodium diets.

Non-Detects (ND) - laboratory analysis indicates that the constituent is not present.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Parts per trillion (ppt) or Nanograms per liter (nanograms/l) - one part per trillion corresponds to one minute in 2,000,000 years, or a single penny in \$10,000,000,000.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

90th Percentile Value- The values reported for lead and copper represent the 90th percentile. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the lead and copper values detected at your water system

Action Level - the concentration of a contaminant, which, if exceeded, triggers treatment, or other requirements, which a water system must follow.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination

N/A-Not applicable